




Wuxi LZH Bearing Co., Ltd.



6.299 Inch | 160 Millimeter x 9.449 Inch | 240 Millimeter x 1.496 Inch | 38 Millimeter SKF NU 1032 ML/C3 Cylindrical Roller Bearings

Bearing No. NU 1032 ML/C3

NU 1032 ML/C3 Bearing 2D drawings and 3D CAD models

Category	Cylindrical Roller Bearings
Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight	6.075
EAN	7316571293684
Product Group	B04144
Bore Profile	Straight
Cage Material	Brass
Precision Class	RBEC 1 ISO P0
Number of Rows of Rollers	Single Row
Separable	Inner Ring - Both Sides
Rolling Element	Cylindrical Roller Bearing
Profile	Complete with Outer and Inner Ring
Snap Ring	No
Internal Clearance	C3-Loose
Retainer	Yes
Relubricatable	Yes
Inch - Metric	Metric
Other Features	Plain Inner Ring 2 Rib Outer Ring Cage on Outer Ring ID
Long Description	160MM Bore; Straight Bore Profile; 240MM Outside Diameter; 38MM Width;



Wuxi LZH Bearing Co., Ltd.

	Brass Cage Material; RBEC 1 ISO P0; Single Row; Inner Ring - Both Sides Separable; No Snap Ring; Relubricatable; C3-Loose Inte
Category	Cylindrical Roller Bearing
UNSPSC	31171547
Harmonized Tariff Code	8482.50.00.00
Noun	Bearing
Manufacturer URL	http://www.skf.com
Manufacturer Item Number	NU 1032 ML/C3
Weight / LBS	13.382
d	6.299 Inch 160 Millimeter
D	9.449 Inch 240 Millimeter
B	1.496 Inch 38 Millimeter
bore diameter:	160 mm
static load capacity:	325 kN
outside diameter:	240 mm
maximum rpm:	4800 rpm
overall width:	38 mm
bearing material:	Steel
flanges:	(2) Flanges on outer Ring, Flangeless Inner Ring
cage material:	Brass
bore type:	Straight
finish/coating:	Uncoated
number of rows:	1
closure type:	Open
internal clearance:	C3
series:	NU
operating temperature range:	Maximum 302 ° F
manufacturer upc number:	7316571293684



Wuxi LZH Bearing Co., Ltd.

dynamic load capacity:

229 kN